

# *Priority Queues*




Jordi Cortadella and Jordi Petit  
Department of Computer Science

# A priority queue

- A priority queue is a queue in which each element has a priority.
- Elements with higher priority are served before elements with lower priority.
- It can be implemented as a vector or a linked list. For a queue with  $n$  elements:
  - Insertion is  $O(n)$ .
  - Extraction is  $O(1)$ .
- A more efficient implementation can be proposed in which insertion and extraction are  $O(\log n)$ : **binary heap**.


# Binary Heap



- Complete binary tree (except at the bottom level).
- Height  $h$ : between  $2^h$  and  $2^{h+1} - 1$  nodes.
- For  $N$  nodes, the height is  $O(\log N)$ .
- It can be represented in a vector.




# Binary Heap




Locations in the vector:



**Heap-Order Property:** the key of the parent of X is smaller than (or equal to) the key in X.



# Binary Heap




Two main operations on a binary heap:

- Insert a new element
- Remove the min element


Both operations must preserve the properties of the binary heap:

- Completeness
- Heap-Order property


# Binary Heap: insert 14



Insert in the last location




... and bubble up ...




done !


# Binary Heap: remove min





Extract the min element and move the last one to the root of the heap



... and bubble down ...



# Binary Heap: remove min



done !



# Binary Heap: complexity

- Bubble up/down operations do at most  $h$  swaps, where  $h$  is the height of the tree and

$$h = \lceil \log_2 N \rceil$$

- Therefore:
  - Getting the min element is  $O(1)$
  - Inserting a new element is  $O(\log N)$
  - Removing the min element is  $O(\log N)$

# Binary Heap: other operations


- Let us assume that we have a method to know the location of every key in the heap.
- Increase/decrease key:
  - Modify the value of one element in the middle of the heap.
  - If decreased  $\rightarrow$  bubble up.
  - If increased  $\rightarrow$  bubble down.
- Remove one element:
  - Set value to  $-\infty$ , bubble up and remove min element.

# Building a heap from a set of elements








---

- Heaps are sometimes constructed from an initial collection of  $N$  elements. How much does it cost to create the heap?
  - Obvious method: do  $N$  insert operations.
  - Complexity:  $O(N \log N)$
- Can it be done more efficiently?

# Building a heap from a set of elements




bubble down




# Building a heap: implementation

```
def heapify(L: list[T]) -> None:
    """Converts a list into a heap (assuming L[0] is not used)"""
    for i in range(len(L)//2, 0, -1):
        bubble_down(L, i)
```



Sum of the heights of all nodes:

- 1 node with height  $h$
- 2 nodes with height  $h - 1$
- 4 nodes with height  $h - 2$
- $2^i$  nodes with height  $h - i$



$$S = \sum_{i=0}^{h-1} 2^i (h - i)$$

$$S = h + 2(h - 1) + 4(h - 2) + 8(h - 3) + 16(h - 4) + \dots + 2^{h-1}(1)$$

$$2S = 2h + 4(h - 1) + 8(h - 2) + 16(h - 3) + \dots + 2^h(1)$$

Subtract the two equations:

$$S = -h + 2 + 4 + 8 + \dots + 2^{h-1} + 2^h = (2^{h+1} - 1) - (h + 1) = O(N)$$

**A heap can be built from a collection of items in linear time.**

# EXERCISES

# Exercise: insert/remove element

Given the binary heap implemented in the following vector, draw the tree represented by the vector.

	6	7	9	10	11	12	13	15	19	14	21	17	16
--	---	---	---	----	----	----	----	----	----	----	----	----	----

Execute the following sequence of operations

```
insert(8); remove_min(); insert(6); insert(18); remove_min();
```

and draw the tree after the execution of each operation.

# Exercise: guess $a$ and $b$

Consider the binary heap of integer keys implemented by the following vector:

	3	7	$a$	10	15	18	$b$	25	13	20	17	22	19
--	---	---	-----	----	----	----	-----	----	----	----	----	----	----

After executing the operations **insert(8)** and **remove\_min()** the contents of the binary heap is:

	7	10	8	$b$	15	18	$a$	25	13	20	17	22	19
--	---	----	---	-----	----	----	-----	----	----	----	----	----	----

Discuss about the possible values of  $a$  and  $b$ . Assume there can never be two identical keys in the heap.



# Exercise: the $k$ -th element

---

**The  $k$ -th element of  $n$  sorted vectors.**

Let us consider  $n$  vectors sorted in ascending order.

Design an algorithm with cost  $\Theta(k \log n + n)$  that finds the  $k$ -th global smallest element.

# Exercise: bubble-up/down

Give an implementation for the methods **bubble\_up** and **bubble\_down** of a heap:

```
def bubble_up(L: list[T], int i) -> None:
    """Bubbles up the element at location i"""

def bubble_down(L: list[T], int i) -> None:
    """Bubbles down the element at location i"""
```